

The Difference is our Expertise

Products

Atún 6x19S Class

- Fiber CoreGalvanized6x19S



6x19S Class Strength & Weights Chart (inches)

Diameter (in)	Approx. Weight (lb/ft)	Minimum Breaking Force (Ibs.)		
9/16	0.53	27,550		
5/8	0.66	34,830		
3/4	0.95	50,700		
7/8	1.29	73,850		
1	1.68	93,910		
1 1/8	2.13	118,160		
Rope is manufactured to Camesa specifications.				

6x19S Class	Strength &	Weights Chart	(millimeters)
-------------	------------	---------------	---------------

Diameter (mm)	Approx. Weight (kg/m)	Minimum Breaking Force (Metric Tons)		
14.5	0.79	12.5		
16	0.98	15.8		
19	1.41	23.0		
22	1.92	33.5		
26	2.50	42.6		
29	3.17	53.6		
Rope is manufactured to Camesa specifications.				