

Products

Oruga 6x19 Class

- Steel Core
- Tiffor Bright
- 6x19S
- 6x25F
- 6x26WS



6x19S



6x25F



6x26WS

6x19 Class Steel Core Strength & Weights Chart (inches)

Diameter (in)	Approx. Weight (lb/ft)	Minimum Breaking Force (lbs.) IPS
1/2	0.46	23,000
9/16	0.59	29,000
5/8	0.72	35,800
3/4	1.04	51,200
7/8	1.42	69,200
1	1.85	89,800
Rope is manufactured to Camesa specifications.		

6x19 Class Steel Core Strength & Weights Chart (millimeters)

Diameter (mm)	Approx. Weight (kg/m)	Minimum Breaking Force (Metric Tons) IPS
13	0.68	10.4
14.5	0.88	13.2
16	1.07	16.2
19	1.55	23.2
22	2.11	31.4
26	2.75	40.7
Rope is manufactured to Camesa specifications.		